


POWDERCOATED STEEL  
FRAME WITH TIMBER BASE

# Q-Posts



THEURBANATIVE





## Care

To clean and maintain the powder coated finish, wipe surfaces with soft damp cloth, on occasion a soft brush can be used for stubborn dirt .After wipin with the damp soapy cloth make sure to gently wipe any soap residue with a soft dry cloth. Filtered water should alway be used as unfiltered water sometimes has trace abrasive elements such as sulphur/ iron oxide, in addition do not expose your powder-coated pieces to abrasive solutions with chlorine, saltwater, fluoride.

For outdoor furniture or furniture to be used at the coast we urge the client to notify TheUrbanative in order for us to treat the steel accordingly via a process of e-coating or using galvanised steel components. In order to further protect our steel planters , we rubber line the inside to stop any water seepage into metal crevices. Please note that eventually corrosion will result overtime for items in humid or coastal areas.

## Warrantees

Almost all powder contains UV protectants that maintain colour and gloss. The powdercoating is warranteed for 3 years (indoor) & 2,5 years (extreme outdoor); provided that no structural damage has occurred and that the cleaning guidelines provided are followed.

# Powdercoated Steel

## Care

Wood is a natural product that expands and contracts due to the humidity and temperature of the environment, this natural movement can lead to warping in some instances.

Dust regularly with a soft cloth, To maintain the luster of the timber, rub furniture with furniture oil (Woodoc / Danish Oil) every other month or according to the directions as per the product used. All our products are sealed to protect the timber however spills need to be wiped immediately to avoid staining or swelling. Variations created by nature including color, grain, and texture are not considered defects

## Warrantees

The wood workmanship is warranted for 3 years; provided that no structural damage has occurred, this is also in addition to the timber having been cared for as per the cleaning guidelines provided. The warrantee is limited to generally accepted care and maintenance of the product above. All timber for indoor use unless specifically designed for outdoor use.

# Timber

# BLACK STANCHION ROPE WITH BLACK END-CAPS



## Care

Clean using a diluted, mild detergent with a soft midly damp cloth, taking care not to rub too hard as this will affect the weave, the rope elasticity and the glue.

Only spot clean when necessary. Clean spots with damp soft cloth dry in shaded area.

## Warrantees

The workmanship of the weaving is waranteed for 2-3 years depending on handling. The PVC awing cord is meant for outdoor purposes; according to the manufacturer/supplier guidelines, however in coastal and outdoor uses yacht grade rope is used.

# Stanchion Rope