




THEURBANATIVE

[www.theurbanative.com](http://www.theurbanative.com)



400

## WAMBO pendant light- PDL02A



### Dimensions (mm)

Diameter: 400 mm  
Weight: 1,5 kg


### Materials

Powdercoated steel, woven pendant light

### Cleaning and Care

Wipe steel with damp soft cloth.  
Rope cleaning instructions as per  
fabric choice.

Since each piece is custom made,  
please allow 6 weeks for delivery.



THE URBAN NATIVE

[www.theurbannative.com](http://www.theurbannative.com)

## Powdercoating Colours 2022

Beige Red (RAL 3012)  
Ferrograin - Indoor

Terracotta (RAL 8004)  
Ferrograin - Indoor

Wine Red (RAL 3005)  
Ferrograin - Indoor

Coral (RAL 2012)  
Ferrograin - Outdoor

Pebble Grey (RAL 7032)  
Ferrograin - Indoor

Basalt Grey (RAL 7012)  
Ferrograin - Indoor

Black (RAL 9011)  
Ferrograin - Indoor

Steel Blue (RAL 5003)  
Ferrograin - Outdoor


Steel Blue (RAL 5003)  
Ferrograin - Indoor

Forest Green (RAL 6009)  
Smooth - Indoor

Mustard (RAL 1005)  
Ferrograin - Indoor

Olive Green (RAL 6003)  
Ferrograin - Outdoor


Custom colours available on request and will be quoted separately.



THEURBANATIVE

[www.theurbannative.com](http://www.theurbannative.com)

## Cord Colours 2022



Black



Navy Blue



Strom Grey



Olive Green



Beige




Red

Custom cords available on request and will be quoted separately.

POWDERCOATED  
STEEL WOVEN WITH  
POLY CORD

# Lights



THEURBANATIVE





## Care

To clean and maintain the powder coated finish, wipe surfaces with soft damp cloth, on occasion a soft brush can be used for stubborn dirt .After wipin with the damp soapy cloth make sure to gently wipe any soap residue with a soft dry cloth. Filtered water should alway be used as unfiltered water sometimes has trace abrasive elements such as sulphur/ iron oxide, in addition do not expose your powder-coated pieces to abrasive solutions with chlorine, saltwater, fluoride.

For outdoor furniture or furniture to be used at the coast we urge the client to notify TheUrbanative in order for us to treat the steel accordingly via a process of e-coating or using galvanised steel components. In order to further protect our steel planters , we rubber line the inside to stop any water seepage into metal crevices. Please note that eventually corrosion will result overtime for items in humid or coastal areas.

## Warrantees

Almost all powder contains UV protectants that maintain colour and gloss. The powdercoating is warranteed for 3 years (indoor) & 2,5 years (extreme outdoor); provided that no structural damage has occurred and that the cleaning guidelines provided are followed.

# Powdercoated Steel

# POLYESTER AND YACHT GRADE CORDS

## Care

Clean using a diluted, mild detergent with a soft midly damp cloth, taking care not to rub too hard as this will affect the weave, the rope elasticity and the glue.

Only spot clean when necessary. Clean spots with damp soft cloth dry in shaded area.

## Warrantees

The workmanship of the weaving is waranteed for 2-3 years depending on handling. The PVC awing cord is meant for outdoor purposes; according to the manufacturer/supplier guidelines, however in coastal and outdoor uses yacht grade rope is used.

## Awning cord

